

<b>DATA SHEET</b>	<b>FILLER</b>	<b>Ref : 1951</b>
-------------------	---------------	-------------------

**Type :** FILLER  
**Brand :** KALIX DUPUY  
**Model :** KX 14 S  
**Serial N° :** 3609  
**Year :** 0  
**Quantity :** 1  
**Overall dimensions :** 1.60 x 0.80 x 2.20 M  
**Weight :** 500 Kg



---

## METAL TUBE FILLER AND SEALER

### Description:

AUTOMATIC VOLUMETRIC FILLER FOR LIQUID, STICKY, VISCOUS, AND DOUGHY PRODUCT

#### EQUIPMENT:

AUTOMATIC TUBE LOADER  
TUBE ORIENTATION SYSTEM  
16 STATIONS ROTATING TABLE  
VOLUMETRIC PISTON FILLER WITH S/S ROTARY VALVE  
INTERCHANGEABLE PISTON  
STAINLESS STEEL NOZZLE WITH SUCK BACK SYSTEM FOR DRIPPING  
INFEED S/S HOPPER: 70 LITERS  
ELECTRIC EYE FOR TUBE CENTERING  
FOLD AND CRIMP STATION  
SEALING STATION WITH CODING (CURRENTLY WITHOUT CHARACTER)  
TUBE DISCHARGE CHUTE  
DRIVEN BY VARIABLE SPEED  
STAINLESS STEEL FRAME

MOUNTED ON CASTERS

#### CURRENT EQUIPMENT:

1 SET OF 16 TUBE HOLDERS FOR ROUND TUBE  
1 PISTON: 52 MM DIAMETER (FILLING FROM 40 ML TO 150 ML)  
STAINLESS STEEL NOZZLE: 10 MM DIAMETER

#### CAPACITY:

20 MM DIAMETER X 220 MM HIGH TUBE  
FILLING VOLUME RANGE: 2 - 290 ML PER TUBE (ACCORDING TO PISTON)

**DATA SHEET**

**FILLER**

**Ref : 1951**

**Type :** FILLER  
**Brand :** KALIX DUPUY  
**Model :** KX 14 S  
**Serial N° :** 3609  
**Year :** 0  
**Quantity :** 1  
**Overall dimensions :** 1.60 x 0.80 x 2.20 M  
**Weight :** 500 Kg



---

### METAL TUBE FILLER AND SEALER

#### Description:

OUTPUT: 4000 TUBES/HOUR

POWER: 1,5 KW

---

**METAL TUBE FILLER AND SEALER**

