

DATA SHEET

SHRINK EQUIPMENT

Ref : 1696

Type : SHRINK EQUIPMENT
Brand : POLYPACK
Model : FH-24-40C
Serial N° : 4029 TYPE F12
Year : 2016
Quantity : 1
Overall dimensions : 5.90 x 3.20 x 1.90 M
Weight : 1 800 Kg



// CONFORMER WRAPPER - SEALER WITH SHRINK TUNNEL

Description:

Automatic shrink wrapping machine with shrink tunnel.

Equipped:

- Square conveyor with plastic palettes for feeding products width 600 mm - length 2650 mm

- 1 film reel holder.

film to use between 0.25 and 0.30 cof

- sealing bar width 550 mm to weld the film around the products.

- pusher operated by pneumatic cylinder to push the product on the tunnel conveyor.

- shrink tunnel with electric heating thermostat with ventilated air.

- internal dimensions of the tunnel: length 1000 mm - width 560 mm - height 350 mm.

- conveyor in stainless steel mesh tunnel: length 2100 mm - width 560 mm.

- Electric heating of the sealing bar with temperature adjustment by electronic regulator.

- Electric heating of the tunnel with electronic regulator.

- Tunnel conveyor speed variator.

- Stainless steel frame

DATA SHEET

SHRINK EQUIPMENT

Ref : 1696

Type : SHRINK EQUIPMENT
Brand : POLYPACK
Model : FH-24-40C
Serial N° : 4029 TYPE F12
Year : 2016
Quantity : 1
Overall dimensions : 5.90 x 3.20 x 1.90 M
Weight : 1 800 Kg



// CONFORMER WRAPPER - SEALER WITH SHRINK TUNNEL

Description:

- Mounted on casters

Maximum production: approximately 30 products/minute depending on the dimension of the product and the nature of the product.

Max product:
length 1210 mm - width 500 mm - height 330 mm


Current equipment:
200x63mm
225 x 35mm
225 x 60mm
225 x 63mm

Other formats available on request.

Mounted on stainless steel frame with castors.

Total electrical power: 19 kw
Maximum compressed air pressure: 6 to 8 bar

// CONFORMER WRAPPER - SEALER WITH SHRINK TUNNEL



// CONFORMER WRAPPER - SEALER WITH SHRINK TUNNEL



Video link

<https://www.youtube.com/embed/fkBglW23084?si=eWvEdtdHrY8Olvfh> title="YouTube video player"

