

**DATA SHEET**

**FILLER**

**Ref : 1951**

**Type :** FILLER  
**Brand :** KALIX DUPUY  
**Model :** KX 14 S  
**Serial N° :** 3609  
  
**Quantity :** 1  
**Overall dimensions :** 1.60 x 0.80 x 2.20 M  
**Weight :** 500 Kg



---

## METAL TUBE FILLER AND SEALER

### Description:

Automatic volumetric filler for liquid, sticky, viscous, and doughy product

#### Equipment :

- Automatic tube loader
- Tube orientation system
- 16 stations rotating table
- Volumetric piston filler with s/s rotary valve
- Interchangeable piston
- Stainless steel nozzle with suck back system for dripping
- Infeed s/s hopper: 70 liters
- Electric eye for tube centering
- Fold and crimp station
- Sealing station with coding (currently without character)
- Tube discharge chute
- Driven by variable speed
- Stainless steel frame

Mounted on casters

#### Current equipment :

- 1 set of 16 tube holders for round tube
- 1 piston: 52 mm diameter (filling from 40 ml to 150 ml)
- Stainless steel nozzle : 10 mm diameter

#### Capacity :

- 20 mm diameter x 220 mm high tube

**DATA SHEET**

**FILLER**

**Ref : 1951**

**Type :** FILLER  
**Brand :** KALIX DUPUY  
**Model :** KX 14 S  
**Serial N° :** 3609  
  
**Quantity :** 1  
**Overall dimensions :** 1.60 x 0.80 x 2.20 M  
**Weight :** 500 Kg



---

### METAL TUBE FILLER AND SEALER

#### Description:

- Filling volume range: 2 - 290 ml per tube (according to piston)
  - Output : 4000 tubes/hour
  - Power : 1,5 kW
-

**METAL TUBE FILLER AND SEALER**

