

DATA SHEET

CARTONER

Ref : 2325

Type : **CARTONER**
Brand : **IMA/BFB**
Model : **MINI**
Serial N° : **AA 1017**
Year : **1999**
Quantity : **1**
Overall dimensions : **5.00 x 2.00 x 2.00 M**
Weight : **600 Kg**



// HORIZONTAL CARTONER

Description:

Automatic reciprocating cartoner for bottles, tubes, jars, etc.

Equipped with:

- Corrugated loading magazine.
- Corrugated loading station on the cleated conveyor. - Bottle feed conveyor (originally designed for cups). - Articulated arm for picking up the bottle and placing it in the corrugated carton.
- Checking station for the presence of the bottle and corrugated carton in the cleat.
- Vertical magazine for automatic blister feeding.
- Pre-folded carton magazine.
- Carton loading station on the cleated conveyor.
- Product insertion station into the cartons using a pusher.
- Carton transfer to the closing station.
- Carton embossing station.
- Carton closing station.
- Removal of finished cases.
- General drive by motor-variator.
- Vacuum pump.
- Protective casings with safety devices.
- Stainless steel chassis.
- Original Siemens PLC.
- PLC and display can be replaced at an additional cost.

Current tools:

30 ml and 100 ml bottles

Carton with alternating tabs.

30 ml A: 44 mm B: 43 mm C: 104 mm

DATA SHEET

CARTONER

Ref : 2325

Type : **CARTONER**
Brand : **IMA/BFB**
Model : **MINI**
Serial N° : **AA 1017**
Year : **1999**
Quantity : **1**
Overall dimensions : **5.00 x 2.00 x 2.00 M**
Weight : **600 Kg**



// HORIZONTAL CARTONER

Description:

100 ml A: 58 mm B: 57 mm C: 133 mm
100 ml A: 71 mm B: 50 mm C: 131 mm

Capacity:

Carton dimensions:

Length (C): min. 80 mm - max. 190 mm
Width (B): min. 37 mm - max. 80 mm
Height (A): min. 24 mm - max. 71 mm

Maximum production: 50 cartons/minute

* Speed depends on the desired final packaging type.

Total electrical power:

3.4 kW


Air pressure: 6 bar

380 V 50 Hz 7 A


Société

A. FOY

// HORIZONTAL CARTONER



// HORIZONTAL CARTONER



// HORIZONTAL CARTONER

